

Pro-Switch Pty Ltd grants to the WaterMark Approved User:

# Plastec Australia Pty Ltd

### Trading as Plastec Australia Pty Ltd

the right to use the WaterMark as shown above in conjunction with the Certificate No. on product/s as identified in the WaterMark Schedule and as listed on the WaterMark database <a href="www.abcb.gov.au/Product-Certification/WaterMark-Certification-Scheme">www.abcb.gov.au/Product-Certification/WaterMark-Certification-Scheme</a> which have been shown to comply with the appropriate Applicable Specification referred to below and as amended from time to time. The WaterMark User is granted a licence to use the WaterMark subject to the rules governing the use of the WaterMark.

Product Type: Flexible Coupling
Product Use: Waste Fittings

Brand: PLASTEC

Certification Specification/s: WMTS 519:2016 Plastic bodied flexible Coupling

Conditions or Limitations: To be installed in accordance with Plumbing Code of Australia (PCA)

Issue Date 16<sup>th</sup> June 2023
Initial Issue Date: 10<sup>th</sup> March 2017
Spring Date: 15<sup>th</sup> June 2028

Expiry Date: 15<sup>th</sup> June 2028

Simon Clarke General Manager

Certificate No.: 23289

This Certificate is issued by a JAS-ANZ accredited certification body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate. The WaterMark Certification Scheme is a conformity assessment scheme based on ISO/IEC 17067. This Certificate may only be reproduced in its entirety

www.pro-switch.com.au



### WaterMark Certification Schedule

The WaterMark User	Plastec Australia Pty Ltd  2-4 Enterprise St Caloundra Queensland 4551 AUSTRALIA  Website: www.plastec.com.au		
Manufacturer	Plastec Australia Pty Ltd		
Certificate Number	23289		
Certification Standards:	Standards: WMTS 519:2016 Plastic bodied flexible Coupling		

#### **Product Listing**

Model Identification	Model Name	Brand Name	Product Description
17728	FLEXITEC	PLASTEC	DN100 Plastic Bodied Flexible Coupling Socket x Socket Solvent Weld Ends for use with PVC Pipelines Max Angular Defection 12.9° Max. Angular Rotation 12° Max. Compression 10mm Max. Expansion 28mm
18732	FLEXITEC	PLASTEC	DN150 Plastic Bodied Flexible Coupling Socket x Socket Solvent Weld Ends for use with PVC Pipelines Max Angular Defection 9.5° Max. Angular Rotation 9° Max. Compression 8mm Max.  Expansion 9mm
18735	FLEXITEC	PLASTEC	DN225 Plastic Bodied Flexible Coupling Socket x Socket Solvent Weld Ends for use with PVC Pipelines Max Angular Defection 13.1° Max. Angular Rotation 9.5° Max. Compression 30mm Max. Expansion 30mm









# WaterMark Certification Schedule

Model Identification	Model Name	Brand Name	Product Description
18855	FLEXITEC	PLASTEC	DN100 Combination Flexible Coupling (Flexitec 17728) and Expansion Pipe Joiner (18812)  Solvent weld Spigot x Socket 60mm Travel
18856	FLEXITEC	PLASTEC	DN100 Combination Flexible Coupling (Flexitec 17728) and Expansion Pipe Joiner (18813)  Solvent weld Spigot x Socket 150mm Travel
18857	FLEXITEC	PLASTEC	DN100 Combination Flexible Coupling (Flexitec 17728) and Expansion Pipe Joiner (18814)  Solvent weld Spigot x Socket 200mm Travel
18858	FLEXITEC	PLASTEC	DN150 Combination Flexible Coupling (Flexitec 18732) and Expansion Pipe Joiner (18816)  Solvent weld Spigot x Socket 200mm Travel
18859	FLEXITEC	PLASTEC	DN225 Combination Flexible Coupling (Flexitec 18735) and Expansion Pipe Joiner (18823)  Solvent weld Spigot x Socket 20mm Travel
18860	FLEXITEC	PLASTEC	DN100 Combination Flexible Coupling (Flexitec 17728) and Y Junction (118532) Solvent weld  Socket Ends
18861	FLEXITEC	PLASTEC	DN150 Combination Flexible Coupling (Flexitec 18732) and Y Junction (18844) Solvent weld  Socket Ends
18862	FLEXITEC	PLASTEC	DN150 Combination Flexible Coupling (Flexitec 18735) and Y Junction (18848) Solvent weld  Socket Ends










## WaterMark Certification Schedule

Model Identification	Model Name	Brand Name	Product Description
18853	FLEXITEC	Plastec	DN65 Plastic Bodied Flexible Coupling Socket x Socket Solvent Weld Ends for use with PVC Pipelines Max Angular Defection 8° Max. Angular Rotation 5° Max. Compression 5mm
18854	FLEXITEC	Plastec	DN80 Plastic Bodied Flexible Coupling Socket x Socket Solvent Weld Ends for use with PVC Pipelines Max Angular Defection 8° Max. Angular Rotation 5° Max. Compression 5mm
18862	FLEXITEC	Plastec	DN50 Plastic Bodied Flexible Coupling Socket x Socket Solvent Weld Ends for use with PVC Pipelines Max Angular Defection 8° Max. Angular Rotation 8° Max. Compression 4mm
18914	FLEXITEC	Plastec	DN40 Plastic Bodied Flexible Coupling Socket x Socket Solvent Weld Ends for use with PVC Pipelines Max Angular Defection 8° Max. Angular Rotation 6° Max. Compression 4mm





Phone: +61 408 704 809

www.pro-switch.com.au

Email: info@pro-switch.com.au